



# Think Petrol Think Repower Think Loncin

The Loncin Engine Series offers a cost effective option for the repower market.

- Horizontal shaft engines from 1.8hp to 12hp
- Vertical engines from 3.6hp to 4.8hp
- V-Twin 19.7hp horizontal and 29.5hp vertical engine

## Features & Benefits

- Durable
- High performance
- Electric start optional
- Low noise
- Fuel efficient
- Standard engine drive shafts
- Standard mounting points



**THREE YEAR WARRANTY ON ALL LONCIN PRODUCTS**

COMPETITOR MODEL	GX100	GX120	GX160	GX200	GX240	GX270	GX340	GX390	GX420
Gross HP	2.8	4	5.5	6.5	8	9	11	13	15
Nett HP	2.3	3.5	4.8	5.5	7.9	8.4	10.7	11.7	12
Torque (Nm)	5.7	10.3	10.3	12.4	15.1	16.3	25.1	25.1	26.5
Bore (mm)	56	68	68	68	73	77	82	88	90
Stroke (mm)	40	45	55	54	58	58	64	64	66
Displacement (cc)	98	118	163	196	242	270	337	389	420
Fuel Tank (L)	0.77	3.6	3.6	3.6	6	6	6.5	6.5	6.5
Oil Capacity	0.4	0.6	0.6	0.6	0.95	0.95	1.1	1.1	1.1
Weight (kg)	10.6	15 / 18	15 / 18	16 / 19	24 / 27.5	25 / 28	31 / 34	31 / 34	31
Dimensions (mm)	287 x 304 x 418	312 x 362 x 335	312 x 362 x 335	376 x 312 x 355	430 x 380 x 410	430 x 380 x 410	450 x 405 x 443	450 x 405 x 443	450 x 405 x 443
Parallel Shaft Imperial	** (5/8")	Q (3/4")	Q (3/4")	Q (3/4")	Q (1")	Q (1")	Q (1")	Q (1")	Q (1")
Parallel Shaft Metric		S (18 mm)	S (20 mm)	S (20 mm)	S (25 mm)	S (25 mm)	S (25 mm)	S (25 mm)	S (25 mm)
Taper Shaft		V	V	V	V	V	V	V	V


  

LONCIN	LC152	H135 (G120)	G200	G200	G240	G270	G340	G390	G420
Gross HP	2.5	4	6.5	6.5	8	9	11	13	15
Nett HP	1.8	3.5	5.5	5.5	7	8	10	11	12
Torque (Nm)	3.3	7.3	12.4	12.4	15.1	16.3	21.6	25.1	26.5
Bore (mm)	52	60	68	68	73	77	82	88	90
Stroke (mm)	46	42	54	54	58	58	64	64	66
Displacement (cc)	97	118	196	196	242	270	337	389	420
Fuel Tank (L)	1.4	2.5	3.6	3.6	6	6	6.5	6.5	6.5
Oil Capacity	0.45	0.6	0.6	0.6	0.95	0.95	1.1	1.1	1.1
Weight (kg)	9	13	16 / 19	16 / 19	24.5 / 27.5	25 / 28	31 / 34	31 / 34	31
Dimensions (mm)	280 x 270 x 345	341 x 305 x 318	376 x 312 x 355	376 x 312 x 355	430 x 380 x 410	430 x 380 x 410	450 x 405 x 443	450 x 405 x 443	450 x 405 x 443
F-P Parallel Shaft Imperial	** (5/8")	P (3/4")	P (3/4")	P (3/4")	P (1")	P (3/4")	P (1")	P (1")	P (1")
F-M Parallel Shaft Metric	M (15 mm)	M (18 mm)	M (20 mm)	M (20 mm)	-	-	-	-	-
F-G Taper Shaft		V	G	G			G	G	G

\*Select the shaft type P, M or G from above      \*\*Standard 5/8" shaft no code

NOTE: All engines shown on this chart are stated in gross hp as the engines being replaced are likely to be rated in this way. G160 has been replaced by G200.

## Construction




Cement Mixers



Generators

## Plant and Tool



Water Pumps



Vibration Plates

## Ground Care / Utility




Rotavators



Pressure Washers

## Leisure



Buggies



Go-Kart